



NELO



Congratulations, you just acquired an incredible boat. We are extremely proud on having developed this amazing product and we hope it exceeds your expectations.

Thanks for trusting our work!

1. BOAT ID
2. PADDLER ID
3. ABOUT YOUR BOAT
4. FITTINGS
5. WARRANTY
6. MAINTENANCE
7. ABOUT US
8. SHOP

1. BOAT ID | 2. PADDLER ID

FOR MY FUTURE

NELO

PADDLER ID

PHOTO

First Name _____

Surname _____

Date of Birth _____


Country _____

Best Results _____


BOAT LAYUPS


BOAT WEIGHT	K1	RIVER	10 kg	SPRINT	11 kg	SPRINT	11 kg	SPRINT	11 kg	MARATHON	7 kg
	K2	WWR	16 kg	F	17 kg	G	17 kg	SCS	17 kg	E	11 kg
	K4						28 kg		28 kg		

ATHLETES WEIGHT RANGE (KG)



3. ABOUT YOUR BOAT





4. FITTINGS



PADDLE PROTECTION


Not all strokes are 100% perfect, specially when applying maximum power, and everyone wants to keep the boat as pristine as possible, we developed an adhesive transparent boat protection to discreetly protect the boat from hard blade hits.

How to apply

- 1 - Clean and dry the area well before applying the Paddle Protection .
- 2 - Peel the white paper backing off the sticker
- 3 - Slowly lower the sticker onto the boat and rub it in place firmly with a squeegee or credit card to avoid air bubbles.

FRONT OR/AND LAND CENTRAL RAIL

This is fixed at the bottom of the boat, in front of the footrest or/and under the seat. It is specially designed to attach accessories like weight kits or heel support. It is 100% aluminum.



4. FITTINGS


T- BAR

It is the "steering wheel" of the boat.

The cables are attached to the T-Bar which controls the rudder.


The tube has telescope length adjustment so you can set it precisely for your fitting in a snap.

Larger adjustments also easily available through the support plate holes.




FOOTREST

The footrest is an essential piece of outfitting on your boat. It provides a contact point where you can transfer the energy you get from your paddle into the movement of the kayak using all the power of your lower body. Nelo footrest offers a few configurable options such as angle and depth adjustments. And now it offers more strap options.





HOW TO REMOVE THE BOTTOM PLATE

By default, all footrests come configured with the full footplate. To remove it you just got to release four screws placed at the back of the footrest.




4. FITTINGS





SETTING UP THE FOOTREST

Nelo footrests have many adjustable settings for total confort and control. To set up you just need to loosen some screws and smoothly adjust the plates to the position that you want. When you finish remember to tighten the screws again.



SETTING UP PULL BAR OR FOOT STRAP


You can add a pull bar or a foot strap. You just have to fix it with four screws (two in each side) as the image suggests.



How to put the footrest on the boat

Footrest is fixed to the boat sliding it in the footrest rails and attaching two screws (one in each side) when it's on the right place¹.

¹See *HOW CAN I FIND THE RIGHT POSITION* tip.








4. FITTINGS

SEAT

Nelo offers five different seat models so you can choose which is more comfortable for you and your paddling style. All models are configurable in many different height and angle positions.

All seat models



SEAT PLATFORM

It's where the seat will slide to be fixed at the right position.¹



¹See **HOW CAN I FIND THE RIGHT POSITION** tip.


How it works

Inserting in the Seat Platform

1- Slide the seat through the seat rails until your right paddling position¹.

¹See **HOW CAN I FIND THE RIGHT POSITION** tip.







How it works

Adjusting the seat height and angle

- 1 - Remove your seat from your boat (if it's installed)
- 2- The seat and the **seat rails*** have a few adjustable options
- 3 - Loosen the 4 screws that are attached to the seat and choose the right height and angle position
- 4- When done tighten well the 4 screws again.
- 5- Put the seat on the boat.



4. FITTINGS



TIP - THE SAME ADJUSTMENT

Moving the seat and the footrest so it's equal. For example, if you move the seat one position to front, you need to do the same in the footrest to keep the same distance.

HOW TO FIND THE RIGHT POSITION

STEP ONE

Start with the seat in the middle position. In the middle position the distance between the seat and the footrest varies between 65cm in the S model and 85cm in XXXL model.

STEP TWO

Move the footrest to fit you. By using the full or “middle” adjustment positions you can get a large range of adjustments options.

STEP THREE


The seat platform and the seat rails offers a wide interval of adjustment options too. This and the footrest settings allows the ideal configuration to the perfect paddling position.

STEP FOUR

Check the behaviour of the boat at competition speed. The bow should be just touching the water. In a stopped position the bow should be under water.

STEP FIVE

You should move your seat and footrest together until your boat is performing as described at the previous point.



NOTE

This is just one of many methods of finding the best position, though it always changes slightly from person to person, but these are the basic rules.

4. FITTINGS

RUDDER (Sete | Marathon)


It allows you to turn the boat.

Sete Rudder (6mm)

100% carbon. Ideal for sprint use.

Marathon Rudder (6mm) -

Specific for marathon. 100% Nylon for impact resistance.




How it works

- 1 - Insert the rudder through the hole in the hull.
- 2 - Insert the shaft into the crosspiece hole.
The arrow on the crosspiece should point forwards.
- 3 - It only fits in one way, so don't worry if it's ok. It will be.
- 4 - Tighten the rudder crosspiece screw.

RUDDER CROSSPIECE

It's where the rudder cables are attached which makes it possible for the rudder to turn. It gives a sensitive, smoother control thanks to the new design.




How it works

- 1 - Right and left rudder cables are attached to it with knots.
- 2 - Rudder enters in the one way channel and it's tightened with a simple screw.

NUMBER HOLDER

This is where you place the competition number or lane number. It is made of 100% plastic and fixed only with two simple nuts.



How to replace

- 1- Remove old Number Holder from your boat unscrewing old screws.
- 2 - Put the new Number Holder at the same place and tighten the new nuts.


NOT JUST A NUMBER HOLDER

You can use the Number Holder to fix some useful tools.


The number holder is compatible with GoPro mount system so you can place here, for example, your camera or a Nelo Waterproof Phone Bag.

It's also a comfortable bed for your rudder when you're in travel.

Be creative with
the Number Holder




Nelo Waterproof Phone Bag
available at shop.nelo.eu



During the transportation use
it to keep your rudder safe.


CABLE GUIDES

Are used to guide the rudder cables to the crosspiece. They are low friction so you can have a smooth boat control.



RUDDER CABLES

The rudder cables make the connection between T-Bar and Rudder Crosspiece and allows the rudder to work, so your boat will turn correctly.




RUDDER ADJUSTING SYSTEM

It is used to tighten the rudder cables, in a quick way, which allows the rudder to turn better.



1. Hold rudder straight



2. Adjust the cables at the new adjusting system



3. Until t-bar stands straight at the middle

How it works

Thanks to its easy pulling system you just need to pull to tighten or extend the rudder cables until they are as you want.

5. GENERAL WARRANTY CONDITIONS

NELO KAYAKS WARRANTY TERMS

This document sets out the sole and limited warranty which Nelo is giving on Kayaks. This warranty should be reviewed carefully, together with the User Manual.

BASIC WARRANTY

Nelo warrants the boat, except for excluded items, and when properly used, will be free of defects in materials or workmanship for a period of 24 months from the time of delivery of the boat.

Warranty on other Composite Parts

The following parts: Seat, Foot Rest, Rudder, Hatch and Hold Number warranted to be free of defects in materials or workmanship for a period of 24 months from the time of delivery of the boat. Warranty is valid only when the products are properly used.

Transfer of Warranty

If you sell the boat during warranty period, your buyer may receive the benefit of the balance of the warranty by agreeing to be bound by its terms.

Authorized Dealers

To obtain a list or confirm that you are dealing with an Authorized Dealer contact Nelo.

Excluded Items

Nelo gives no warranty of the following:

- Any components manufactured other than by Nelo.
- **Sun damage** - If the boat is exposed to the sun for long periods of time it may cause some damages to the composite material.
In that case, the warranty shall be voided.
- **Osmotic Blistering**: A primary factor in the design of the boats is high performance, top speed and trailing ability.
The vast majority of the boats are dry sailed and as a result surface coatings and the thickness thereof were chosen with respect to their potential performance characteristics.
If the boat is left in a wet cover wet, the osmosis warranty shall be voided.

- **Collision damage** - Damages resultants from collisions or misuse are not covered by warranty.

- **Salt oxidation** - If the boat is used on salt water and isn't regularly washed after use that may oxidate some boat parts. In that case, the warranty shall be voided.

All repairs not made by Nelo or Authorized Persons are not covered under this warranty.

Proper Use

All of the above warranty clauses are expressly conditioned upon the proper use of the boat. This means that you follow the indications reviewed at the manuals and perform suggested maintenance to the boat as recommended in it.

Warranty Claims

In order to make a claim under these clauses you must do the following:

- Report the defect to Nelo within thirty days of discovering it. The report must identify the Serial Number, date of delivery and photos.

- Make the boat available for inspection if requested.

- Make the boat available, when required, for repairs by Nelo or Authorized Persons.

- Nelo reserves the right to choose an outside technician to do the repair. All warranty requests must be accompanied by a detailed written estimate prior to beginning any warranty work and it must be approved by Nelo.

Repair or Replacement

Nelo shall perform its obligations under the terms of this warranty at its option either repairing or replacing defective part or component. Parts or components do not extend the warranty period but these repairs or replacements will be covered for the balance of the warranty period.

Exclusion of Implied Warranties

The foregoing warranty is intended to be in lieu of all other warranties express or implied. NELO disclaims all implied warranties including warranties of merchantability and fitness for a particular purpose. In such jurisdictions these exclusions are limited the NELO expressly limits any implied warranties to the greatest extent and to the shortest duration allowed by law.

5. GENERAL WARRANTY CONDITIONS

Limitation of Damages

Nelo disclaims any liability to you for incidental, consequential or indirect damages, including loss of time, loss of use, loss of revenue, travel expenses, transportation charges, food or lodging charges or loss of personal property. In such jurisdictions that these exclusions are limited to Nelo expressly limits its liability for damages to the greatest extent allowed by law.

Whole Agreement

This warranty is the sole warranty given by Nelo. Any questions about the warranty should be directed to Nelo – Mar Kayaks at nelo@nelo.eu.

Nelo Maintenance Guidelines

One of the big advantages of composites is that they don't require much maintenance. Nevertheless, there are a few rules that can extend your boat's life.

Do not put it in the sun for long periods.

Composites materials may deform when exposed to high temperatures for long periods.

Do not tight it too strongly in the racks.

Composites materials are strong and resistant but there's no need to tight it too strongly into the racks.

Only allow professionals to repair your boat.

Only professionals know the best way to repair your boat.

Never store or transport it inside the cover if the boat is not well dry.

Composites materials may change some properties when are closed wet.

Wash your boat after use it in salt water.

Salt water, as well brackish or polluted water may oxidize and damage your boat components. A quick wash of the moving parts as footrests, seats and rudder system keeps them clean and working perfectly.

Avoid direct collision with hard objects.

That may damage and break your boat surface.



Nelo is the leading company in top performance kayaks and canoes and the major innovator in canoeing, from boat design to services and technology. This know-how poured into new areas and Nelo have now a strong footing in all paddle related sports, from Rowing to Stand Up Paddle, while still developing and producing strong composite shells for other sports and showing great versatility in the production of all kind of composite sport equipment under other brands.

The company was created in 1978 by Manuel Ramos, a former paddler himself, and is now located in Vila do Conde, Portugal. The factory has an area of 20.000m² where 150 employees work, a big percent of which does, or has done, kayaking.

Innovation is a big part of our DNA, constantly improving and developing new concepts and ideas. All our models are designed and conceived by us, with the help of professional personnel and techniques.

With a network of 40 dealers, Nelo covers the globe and sells to over 100 countries.



Weight Kit



Rotating Carbon



Back support for footrest



Water Pump



Pedal Foot Rest



Heel Support

SHOP.NELO.EU

FIND THOSE AND MANY OTHER PARTS AT OUR SHOP!

ARGENTINA
ASTILLERO SIOUX
Phone: 0059847323915
Email: gonzalougolini@gmail.com
Web: http://www.sioxx.com.uy
Contact: Gonzalo Ugolini

AUSTRALIA
NELO AUSTRALIA
Phone: +61412444461
Email: nigel@neloaustralia.com.au
Web: http://www.neloaustralia.com.au/

AUSTRIA
kayak-connection
Phone: +43 664 7640920
Email: office@kayak-connection.at
Web: http://www.kayak-connection.at/
Contact: Petra Luckeneder

BELARUS
LANA LTD
Phone: +375 29 6527901
Email: igor-lana@tut.by
Contact: Igor Laptienok

BELGIUM
NELO BELGIUM
Phone: +32 (0) 486717936
Email: bob.maesen@yahoo.com
Contact: Bob Maesen

BOSNIA
KAYAK HOUSE DOO
Phone: +381611359757
Email: office@kayakhouse.rs
Web: http://www.kayakhouse.rs/
Contact: Milenko Nasagacin

BRASIL
J D C DAL MOLIN E CIA LTDA
Phone: +55 45 9 9992 7447
Email: juliano@caros@hotmail.com
Contact: Juliano Crai

BULGARIA
DM STARS LTD
Phone: +359 888 763 500
Email: nelobulgaria@yahoo.com
Web: http://bulgaria.nelo.eu/

CANADA
NELO CANADA
Email: nelocanada@gmail.com
Web: http://www.nelocanada.ca
Contact: Scott

CHILE
POSEIDÓN
Phone: 056-9-50550396
Email: poseidon.fibra@hotmail.com
Contact: Alvaro Torres

CHINA
SHANGHAI PEI SHENG BOAT
Phone: +86 137 016 205 45
Email: sales@ps-boat.com
Contact: Zhu Pei Wen

COLOMBIA
KANOTEC
Phone: 300 6 53 93 21
Email: kanotec@hotmail.com
Contact: Edwin Amaya Serna

CZECH REPUBLIC
PETR MOKRY
Phone: +420 604 236 269
Email: mokry@csv.cz
Contact: Petr Mokry

DENMARK
DANSPRINT APS
Phone: +45 20 11 88 00
Email: ot@dansprint.com
Contact: Ole Torp

FINLAND
WELHONPESA Oy
Phone: +358 40 544 2501
Email: welho@nettiliina.fi
Contact: Juhani Holmi

FRANCE
SARL SURANYI
Phone: +33 607 500 232
Email: patrick.surany@wanadoo.fr
Web: http://www.kayak-online.fr
Contact: Patrick Suranyi

GERMANY
GUSSEK KANUSPORT
Phone: +49 171 681 4844
Email: info@gusser-kanusport.de
Web: http://www.gusser-kanusport.de/
Contact: Michael Gusser

GREECE
ALL ABOUT SPORT
Phone: +30 210 482 9974
Email: aas@aasport.gr
Contact: Kyriakos Zarouleas

HONG KONG
HK KAYAK
NELO HU
Phone: +852 92014906
Email: hk.kayak@hotmail.com
Contact: Raymond Lo

HUNGARY
NELO HU
Phone: +36 703 752 475
Email: info@nelo.hu
Web: http://www.nelo.hu
Contact: Bartfal Krisztian

INDIA
ANJANA INTERNATIONAL INDUSTRIES
Phone: +91 41613255
Email: rajanhanda@hotmail.com
Contact: Rajan Handa

IRELAND
GARY MAWER
Phone: +353 879 871 996
Email: garymawer@hotmail.com
Contact: Gary Mawer

ISRAEL
YAMIT Y.S.B LTD
Phone: +97235271777
Email: eltan@yamitysb.co.il
Web: http://www.yamitysb.co.il/
Contact: Eltan Friedlander

ITALY
TEGYSPORT
Phone: +39 338 80 49 696
Email: tegysport@tiscali.it
Contact: Teodoro Lapertosa

JAPAN
FLAT WATER Co.
Phone: +81 903 096 3712
Email: naoya@edit.ne.jp
Contact: Naoya Matsushiro

LATVIA
BRACA SPORT LITHUANIA
Phone: +370 699 27581
Email: braca-lit@braca-sport.com
Contact: Arunas Tomkevicius

LITHUANIA
BRACA SPORT LITHUANIA
Phone: +370 699 27581
Email: braca-lit@braca-sport.com
Contact: Arunas Tomkevicius

MACEDONIA
KAYAK HOUSE DOO
Phone: +381611359757
Email: office@kayakhouse.rs
Web: http://www.kayakhouse.rs/
Contact: Milenko Nasagacin

MALAYSIA
NELO MALAYSIA
Email: nelomalaysia@gmail.com

MONTENEGRO
KAYAK HOUSE DOO
Phone: +381611359757
Email: office@kayakhouse.rs
Web: http://www.kayakhouse.rs/
Contact: Milenko Nasagacin

NEW ZEALAND
IPADDELE
Phone: +64 9 273 0173 / +64 21 074 8485
Email: teran@hug.co.nz
Web: http://www.ipaddele.co.nz/
Contact: Terry Newsome

NORWAY
NELO NORGE AS
Phone: +47 97 96 76 69
Email: post@nelo.no
Web: http://www.nelo.no
Contact: Eirik Verås Larsen

POLAND
OLIMPIJCZYK BIS
Phone: +48 61 8 218 871
Email: pracharczyk@olimpijczyk.org
Web: http://www.olimpijczyk.org
Contact: Ireneusz Pracharczyk

ROMANIA
SC KAIAC NELO RO SRL
Phone: +40731672331
Email: iocavian_kayak@yahoo.com
Web: http://www.nelo.ro
Contact: Octavian Ispas

RUSSIAN FEDERATION
ECSI - IN RUSSIA
Phone: +7 495 979 25 55
Email: andrey@dembikov.ru
Contact: Andrey Dembikov

SERBIA
KAYAK HOUSE DOO
Phone: +381611359757
Email: office@kayakhouse.rs
Web: http://www.kayakhouse.rs/
Contact: Milenko Nasagacin

SINGAPORE
TROPICAL KAYAKS PTE. Ltd
Phone: (65) 67527611
Email: canoe@singnet.com.sg
Contact: Billy Koh

SLOVAKIA
Nelo Slovakia
Phone: +421904309913
Email: miromico@gmail.com
Web: http://www.neloslovakia.sk
Contact: Miroslav Mico

SOUTH AFRICA
AFRICAN KAYAK SOLUTIONS
Phone: +27 704331768
Email: Hptcanoekayaking@gmail.com
Contact: Craig Mustard

SOUTH KOREA
HS Corp
Phone: 82 10 5691 5888
Email: nvsports@hanmail.net
Contact: Young-min, Kim

SPAIN
NELO NAUTICA ESPAÑA, S.L.
Phone: +34 687736561
Email: nelonauticaesp@hotmail.com
Web: http://www.neloespaña.com
Contact: Esteban Alonso

SWEDEN
DIETZ
Phone: +46 73 030 2922
Email: info@dietz.se
Web: http://www.dietz.se/
Contact: Christian Dietz

SWITZERLAND
SCHWARZER PADDEL
Phone: +41(0) 71 440 02 82
Email: info@schwarzer-paddel.com
Web: http://www.schwarzer-paddel.com/
Contact: Beat Hausmann

TAIWAN
SING BRIGHT INTERNATIONAL LTD
Phone: +886-7-380-5940
Email: evasport@ms27.hinet.net
Contact: Helena Hus

THE NETHERLANDS
KAIAC CENTRUM AREND BLOEM
Phone: +31 75 62 188 05
Email: info@arendbloem.nl
Contact: Arend Bloem

UKRAINE
Nelo Ukraine
Phone: +380 95 860 86 41
Email: rost227@gmail.com
Web: nelo.prom.ua
Contact: Vvedenskyj Rostyslav

UNITED KINGDOM
Ultimate Kayaks
Phone: 07831698150
Email: sales@ultimatekayaks.co.uk
Web: http://www.ultimatekayaks.co.uk
Contact: Ivan Lawler

UNITED STATES
NELO NY
Phone: 917-841-7597, +1 (203) 731-4659
Web: http://www.oceanpaddlesportseast.com
Contact: Jim Hoffman, Mark Ceconi, Steve DelGuido

ELITEOCEANSPORTS
Nelo Slovakia
Phone: +1 843 224 7509
Email: mckengm@eliteoceansports.com
Web: http://www.eliteoceansports.com/
Contact: Mark McKenzie

PADDLE CALIFORNIA
Phone: +1 (619) 796-8048
Email: info@paddlecal.com
Web: http://www.paddlecal.com/
Contact: Michele Eray

SPRINT RESOURCES
Phone: +1 239 257 9245
Email: lan@sprintresources.com
Web: http://sprintresources.com/
Contact: Ian Mack

URUGUAY
ASTILLERO SIOUX
Phone: 0059847323915
Email: gonzalougolini@gmail.com
Contact: Gonzalo Ugolini

VENEZUELA
SOLO DEPORTES, C.A.
Phone: +58 0414 5292977
Email: operaciones@solodeportes.nexve
Contact: Rogelio Orellana